

Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultracur3D® RG 1100

UFI: NMK7-V2TH-Q004-P0VA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: resin, Printing inks, Chemical

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)	H302 Harmful if swallowed.
Skin Corr./Irrit. 2	H315 Causes skin irritation.
Eye Dam./Irrit. 1	H318 Causes serious eye damage.
Skin Sens. 1B	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
STOT RE 2 (oral)	H373 May cause damage to organs through prolonged or repeated oral exposure.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elementsGlobally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated oral exposure.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P273	Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.

Precautionary Statements (Storage):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements (Disposal):

P501

Dispose of contents and container to hazardous or special waste collection point.

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide, 2-Propen-1-one, 1-(4-morpholinyl)-

Hazard determining component(s) for labelling: 2-Propen-1-one, 1-(4-morpholinyl)-, diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide, 4-(1,1-Dimethylethyl)cyclohexyl acrylate, (Octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Blend based on: acrylic resin

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Content (W/W): >= 1 % - < 3 %

CAS Number: 75980-60-8

EC-Number: 278-355-8

Skin Sens. 1B

Repr. 2 (fertility)

Repr. 2 (unborn child)

Aquatic Chronic 2

H317, H361fd, H411

4-(1,1-Dimethylethyl)cyclohexyl acrylate

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Content (W/W): $\geq 0.3\%$ - $< 3\%$	Skin Corr./Irrit. 2
CAS Number: 84100-23-2	Eye Dam./Irrit. 2
EC-Number: 282-104-8	Skin Sens. 1A
REACH registration number: 01-2120735441-62	STOT SE 3 (irr. to respiratory syst.)
INDEX-Number: 607-133-00-9	Aquatic Acute 1
	Aquatic Chronic 2
	M-factor acute: 1
	H319, H315, H317, H335, H411, H400
	<u>Specific concentration limit:</u>
	STOT SE 3, irr. to respiratory syst.: $\geq 10\%$

2-Propen-1-one, 1-(4-morpholinyl)-

Content (W/W): $\geq 15\%$ - $< 20\%$	Acute Tox. 4 (oral)
CAS Number: 5117-12-4	Eye Dam./Irrit. 1
EC-Number: 418-140-1	Skin Sens. 1
INDEX-Number: 613-222-00-3	STOT RE 2
	H318, H302, H317, H373

(Octahydro-4,7-methano-1H-indenediyl)bis(methylene) diacrylate

Content (W/W): $\geq 50\%$ - $< 75\%$	Skin Corr./Irrit. 2
CAS Number: 42594-17-2	Eye Dam./Irrit. 2
EC-Number: 255-901-3	Skin Sens. 1B
INDEX-Number: 607-133-00-9	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Chronic 2
	H319, H315, H317, H335, H411
	<u>Specific concentration limit:</u>
	STOT SE 3, irr. to respiratory syst.: $\geq 10\%$

Polymeric urethane acrylate

Content (W/W): $\geq 15\%$ - $< 20\%$	Skin Corr./Irrit. 2
CAS Number: 52404-33-8	Eye Dam./Irrit. 2
	H319, H315

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

The product in undamaged packing need not be stored separately.

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Protect against heat. Protect from the effects of light. The stabilizer is only effective in the presence of oxygen.

Storage stability:

Storage temperature: -15 - 40 °C

Protect from temperatures below: -15 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time. If transport time lasts more than 4 days the packed product must be protected against exceeding the indicated temperature.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Avoid inhalation. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Wash contaminated clothing before reuse.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	clear
Odour:	acrylic-like
Odour threshold:	not determined

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

pH value:	No data available.
Melting point:	No data available.
Boiling point:	not determined
Flash point:	> 95 °C
Evaporation rate:	No data available.
Flammability:	not highly flammable
Lower explosion limit:	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for classification and labelling.
Ignition temperature:	No data available.
Vapour pressure:	No data available.
Density:	1.09 g/cm ³ (20 °C)
Relative density:	1.09 (20 °C)
Solubility in water:	not determined
Partitioning coefficient n-octanol/water (log Kow):	not applicable for mixtures
Self ignition:	not self-igniting
Thermal decomposition:	192.77 °C, 377.11 J/g,
Viscosity, dynamic:	421 mPa.s (30 °C)
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating

9.2. Other information

Self heating ability: not applicable, the product is a liquid

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

10.2. Chemical stability

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

The product is stable if stored and handled as prescribed/indicated. The product is stabilized for transport.

10.3. Possibility of hazardous reactions

The product can polymerize if the shelf life or storage temperature are greatly exceeded. Heat develops during polymerization. Reacts with peroxides and other radical components.

The product is stabilized against spontaneous polymerization prior to despatch.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

free radical initiators

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information**11.1. Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Experimental/calculated data:

LD50 rat (oral): 588 mg/kg (OECD Guideline 401)

Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Assessment of irritating effects:

May cause severe damage to the eyes. EU-classification Not irritating to the skin.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)------

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Assessment of sensitization:

Sensitization after skin contact possible. EU-classification

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Assessment of sensitization:

Caused skin sensitization in animal studies.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Assessment of teratogenicity:

At high doses there are indications of a developmental effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs.

*Information on: 2-Propen-1-one, 1-(4-morpholinyl)-**Assessment of repeated dose toxicity:**Repeated exposure may affect certain organs. EU-classification*
-----Aspiration hazard

No data available.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12: Ecological Information**12.1. Toxicity**

Assessment of aquatic toxicity:

May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components. Acutely harmful for aquatic organisms.

*Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Toxicity to fish:**LC50 (48 h) 6.53 mg/l, Oryzias latipes (JIS K 0102-71, semistatic)**The details of the toxic effect relate to the nominal concentration.*
-----*Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Aquatic invertebrates:**EC50 (48 h) 3.53 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)**The statement of the toxic effect relates to the analytically determined concentration.*
-----*Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Aquatic plants:**EC50 (72 h) > 2.01 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)**The statement of the toxic effect relates to the analytically determined concentration.*
-----*EC10 (72 h) 1.56 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)**The statement of the toxic effect relates to the analytically determined concentration.*
-----*Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Microorganisms/Effect on activated sludge:*

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

*EC20 (3 h) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)
Limit concentration test only (LIMIT test). The details of the toxic effect relate to the nominal concentration.*

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Chronic toxicity to fish:

No data available regarding toxicity to fish.

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Chronic toxicity to aquatic invertebrates:

No data available regarding toxicity to daphnids.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Moderately/partially eliminated from water.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Assessment biodegradation and elimination (H₂O):

Poorly biodegradable. Not readily biodegradable (by OECD criteria).

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

Elimination information:

35 % BOD of the ThOD (28 d) (OECD 301D; EEC 92/69, C.4-E) (other)

Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

Elimination information:

0 - 10 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic)

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Information on: 2-Propen-1-one, 1-(4-morpholinyl)-

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

*Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Assessment bioaccumulation potential:**Does not significantly accumulate in organisms.*
-----*Information on: 2-Propen-1-one, 1-(4-morpholinyl)-**Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Bioaccumulation potential:**Bioconcentration factor (BCF): 23 - 55 (56 d), Cyprinus carpio (measured)*

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

*Information on: 2-Propen-1-one, 1-(4-morpholinyl)-**Information on: diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide**Assessment transport between environmental compartments:**Volatility: The substance will not evaporate into the atmosphere from the water surface.**Adsorption in soil: Adsorption to solid soil phase is not expected.*

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICYCLODECANE DIMETHANOL DIACRYLATE)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICYCLODECANE DIMETHANOL DIACRYLATE)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICYCLODECANE DIMETHANOL DIACRYLATE)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICYCLODECANE DIMETHANOL DIACRYLATE)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Marine pollutant: YES
 Special precautions for user: None known

Air transport

IATA/ICAO

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains TRICYCLODECANE DIMETHANOL DIACRYLATE)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 04.08.2020

Version: 2.0

Date previous version: 06.02.2020

Previous version: 1.0

Product: **Ultracur3D® RG 1100**

(ID no. 30781446/SDS_GEN_EU/EN)

Date of print 21.04.2021

Aquatic Chronic Repr.	Hazardous to the aquatic environment - chronic Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated oral exposure.
H411	Toxic to aquatic life with long lasting effects.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H373	May cause damage to organs through prolonged or repeated exposure.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.